

Profiling the injuries sustained by recruits during police force recruit training

Sawyer, Sally; Schram, Ben; Orr, Rob Marc

Licence:
CC BY-NC-ND

[Link to output in Bond University research repository.](#)

Recommended citation(APA):
Sawyer, S., Schram, B., & Orr, R. M. (2019). *Profiling the injuries sustained by recruits during police force recruit training*. 257-258. Abstract from TRANSFORM 2019 Physiotherapy Conference, Adelaide, South Australia, Australia. https://transform.physio/wp-content/uploads/2019/09/Abstract_Book_Adelaide_2019.pdf

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

PROFILING THE INJURIES SUSTAINED BY RECRUITS DURING POLICE FORCE RECRUIT TRAINING

Authors: Sally Sawyer¹, Ben Schram^{1,2} & Robin M. Orr^{1,2*}

¹Faculty of Health Sciences and Medicine, Bond Institute of Health and Sport, Bond University, Gold Coast QLD 4229, Australia

²Tactical Research Unit, Bond University, Gold Coast QLD 4229, Australia

Aim: The aim of this study was to profile injuries occurring within a national police force during initial training to inform injury prevention strategies.

Design: A retrospective cohort study.

Method: Data pertaining to injuries suffered during a 22-month training period at a national police college were received. Injury data included location, nature, mechanism and the activity being performed when the injury was suffered.

Results: A total of 564 injuries were recorded over the 22-month period, with the mean age of recruits reporting an injury being 28.83 years \pm 6.9 years. The incidence of injuries ranged from 456.25 to 3079 injuries per 1000 person-years with an overall incidence rate of 1550.15 injuries per 1000 person-years overall. The shoulder was the most commonly injured site (n=113, 20% of injuries), with sprains and strains being the most common nature of injury (n=287, 50.9% of injuries). Muscular stress with physical exercise was the most common mechanism of injury (n=175, 31.0% of injuries) with the activity responsible for the majority of injuries occurring during an 'unknown' (n=256, 25.4% of injuries) followed by police training (n=215 (38.1%).

Conclusion: Injuries appear to be joint related and common to the shoulder with police training being a primary known activity at the time of injury.

Key Practice Points:

- Injury minimization programs (e.g. pre-screening protocols) should target the shoulder prior to police training activities.
- Injuries, especially to the shoulder, that occurred pre-enlistment or during training must be fully rehabilitated prior to trainee return-to-training and commencement as a qualified officer.

Proposed impact, if any, on the health outcomes of Aboriginal and Torres Strait Islander people: The results of this research are likely to have no greater impact on the Aboriginal and Torres Strait Islander population above that of the non-Indigenous population